

SUPPLEMENT TO



The Gazette of India

No. 381

NEW DELHI, SATURDAY, DECEMBER 23, 1950

OFFICIAL PAPERS

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 25th November, 1950

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE			
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.		
STATES PART (A) & PART (C)								Bihar—contd.							
Ajmer (Urban)															
TOTAL	7	3		Ranchi	..	16	8	29	7	..	
(Estd. mid-year pop. 240 thousands)								Manbhumi	5	
Total for w/e 18-11-50	9	1		Palamau	10	1	..	
Total for w/e 11-11-50	—	—	—	—	—	—		Singhbhum	..	3	2	40	15	..	
7-yearly mean for the week.	..	—	—	—	—	—		TOTAL	43	20	239	54	1	1	
Assam								(Estd. mid-year pop. 37,890 thousands).							
Cachar	..	3	2		Total for w/e 18-11-50	83	32	99	24	
Khasi and Jaintia Hills	1		Total for w/e 11-11-50	32	17	50	13	
Naga Hills		7-yearly mean for the week	..	489	299	28	6	10	7
Goalpara	..	11	6	20	9	..		Bombay							
Kamrup	..	73	47		Bombay	7	1	..	
Darrang		Ammedabad	
Nowgong		Kaira	
Sibsagar		Broach	5	
Lakhimpur		Panch Mahals	
Sadiya & Frontier Tracts		Surat	2	1	..	
Garo Hills		Thana	
TOTAL	87	55	21	9		Bombay Suburban	
(Estd. mid-year pop. 7,611 thousands)								Ahmednagar	24	
Total for w/e 18-11-50	81	55	35	11	—	—		East Khandesh	83	15	..	
Total for w/e 11-11-50	105	71	20	11	—	—		West Khandesh	34	5	..	
7 yearly mean for the week	..	48	29	10	3	..		Amreli	
Bhopal								Nasik	6	2	..	
TOTAL	3		Poona	..	3	2	11	1	..	
(Estd. mid-year pop. 831 thousands)								Satara North	..	5	..	8	1	..	
Total for w/e 18-11-50	—		Satara South	..	8	1	
Total for w/e 11-11-50	4		Sholapur	..	5	3	
7-yearly mean for the week	—		Sabarkantha	
Bihar								Belgaum	..	5	2	
Patna	5	2	..		Bijapur	..	19	9	
Gaya		Dharwar	5	..	2	
Shahabad	72	13	..		Kanara	
Saran	26	3	..		Ratnagiri	
Champaran		Kolaba	
Muzaffarpur		Kolhapur	..	19	8	
Darbhanga	3	3	1		Baroda	
Monghyr		Navasari	
Bhagalpur	..	18	7	30	4	..		Dangs	
Saharsa		Malwan	
Purnea	9	2	..		Mehsana	
Santal Parganas	6	3	5	2		TOTAL	64	25	185	26	2	..	
Hazaribagh	5	2	..		(Estd. mid-year pop. 26,071 thousands)							
Total for w/e 18-11-50		Total for w/e 18-11-50	186	86	254	30	
Total for w/e 11-11-50		Total for w/e 11-11-50	251	91	65	7	3	1	
7-yearly mean for the week			94	45	59	7	42	..	

Explanation of the symbols used :— C. = Cases ; D. = Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ended the 25th November, 1950—*contd.*

Explanation of the symbols used :—C. = Cases ; D. = Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 25th November, 1950—contd.

ported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ended the 25th November, 1950—contd.

	CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Jammu and Kashmir																		
Return not received.																		
Madhya Bharat																		
Return not received.																		
Mysore																		
Bangalore	.	.	10	6
Chitaldrug	3	1
Hassan	1
Kolar	.	.	5	5
Mandyā	6
Mysore	.	.	10	4	16	4
Shimoga	7
Tumkur	14	3
Kadur	10	1
TOTAL	.	.	25	15	17	1	40	8
PEPSU																		
Return not received.																		
Rajasthan																		
Bikaner
Formdr Matsya
Former Rajasthan
Jaipur
Jodhpur
TOTAL
Saurashtra																		
Halar	2
TOTAL	2
Travancore-Cochin																		
TOTAL	.	.	8	7	23	3
Vindhya Pradesh																		
TOTAL
Grand total for States Part (B)	.	141	81	72	12	62	8
Grand total for States Parts (A), (B) & (C)	.	3,937	1,987	2,012	559	370	105
TYPHUS																		
During the week, no case of typhus was reported.																		
POLIOMYELITIS																		
(Information based on patients treated in hospitals in important towns.)																		
Place	Period	Cases																
Uttar Pradesh	1-15 Nov. 1950	2																
Bombay City	16-30 Nov. 1950	1																
Other towns in Bombay	"	1																
Punjab (I)	"	5																
Explanation of the symbols used :—C.—Cases ; D.—Deaths.																		
NEW DELHI 3 (INDIA); } The 18th December, 1950.]																		

S. P. JAIN,
Registrar General, India

NATIONAL
SAVINGS
CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held). Full particulars obtainable from all post offices, District Organisers of the Small-Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th November, 1950

Deaths from:-

Town	Mid.-1950 Popn.-Est. (000)	Deaths from:-													
		B.	B.R.*	C.	S.	P.	F	D.D.	R.D.	M.D.	Total	D.R.†	I.D.		
STATES—(Parts A and C)															
Ajmer															
Ajmer	173	158	47·5	...	1	...	8	2	18	2	47	14·1	11		
Beawar	48	47	54·3	9	1	4	...	17	19·6	3		
TOTAL	218	205	48·9	...	1	...	17	3	23	2	84	15·8	14		
Assam															
<i>Return not received.</i>															
Bhopal															
Bhopal	89	50	29·2	5	...	2	↑	9	5·3	↑		
Bihar															
<i>Return not received.</i>															
Bombay															
Ahmedabad	854	800	48·7	200	33	10	3	893	23·9	112		
Ahmednagar	66	81	63·8	1	2	5	1	19	15·0	8		
Amravati	45	32	57·0	5	10	11·6	1		
Bandra	100	81	42·1	10	...	38	10·8	17		
Baroda City	188	252	69·7	51	2	11	1	85	23·5	18		
Barsia	42	47	58·2	8	1	2	...	25	31·0	7		
Belgaum	77	77	52·0	5	...	2	1	39	26·3	9		
Bhusawal	44	58	68·5	10	1	19	22·5	8		
Dijapur	58	39	35·0	1	7	5	5	...	26	28·3	18		
Bombay	1,706	1,642	44·7	...	1	...	9	10	135	2	619	17·9	189		
Brocash	76	61	41·7	12	1	8	...	38	26·0	14		
Camby	38	34	46·6	11	...	1	...	13	17·8	3		
Dharwar	55	34	32·1	2	...	2	...	10	18·0	3		
Dhulia	66	49	38·6	6	...	5	...	18	14·2	5		
Gadag Betgeri†															
Godhra	48	18	19·5	1	...	1	...	6	6·5	1		
Habli	107	60	29·2	8	...	9	1	31	15·1	5		
Jalgaon	62	88	69·6	6	2	6	...	27	22·6	2		
Kalyan†															
Kolhapur	115	103	46·8	3	1	2	...	40	18·1	2		
Kurda	47	77	85·2	3	1	15	16·6	6		
Malegaon	41	44	55·8	12	...	1	...	13	16·5	3		
Miraj	38	12	16·4	3	...	3	...	14	19·2	...		
Nanded	58	54	48·4	25	...	—	...	32	28·7	8		
Nasik	59	68	59·9	6	2	7	1	48	42·3	10		
Navsari	46	45	50·9	6	9	10·2	1		
Pandharpur	87	22	30·9	...	1	...	4	4	3	...	20	28·1	6		
Parle Andheri	58	80	71·7	3	1	3	...	16	14·3	...		
Paten	43	56	67·7	17	1	1	...	23	27·8	5		
Poona	318	277	26·0	1	2	24	...	138	22·9	53		
Sangli	39	30	40·0	2	4	1	1	17	22·7	1		
Satara	40	25	32·5	1	2	1	...	14	18·2	1		
Sholapur	267	258	50·2	1	5	13	49	1	142	27·7	51		
Surat	239	215	26·8	18	3	26	1	102	22·2	36		
TOTAL	5,162	4,714	47·5	2	2	...	451	100	333	13	2,068	20·8	598		
Delhi State															
Delhi City	685	679	51·4	49	7	32	1	143	10·9	45		
New Delhi	121	165	70·9	1	1	1	2	29	12·5	7		
TOTAL	806	844	54·5	44	8	33	3	172	11·1	52		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th November, 1950—contd.

Town	Mid-1950 Popn.-Est. (000)	Deaths from :—											
		B.	B.R.*	C.	S	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.*
Madhya Pradesh													
Madras													
Orissa													
Berhampur	.	49	48	51·1	6	2	3	..	19	20·2
Cuttack	.	83	62	38·9	..	11	..	12	1	3	1	55	34·5
Puri	.	44	40	47·4	9	1	..	1	27	32·0
	TOTAL	176	150	44·3	..	11	..	27	4	5	2	101	29·8
Punjab (I)													
Ambala	.	52	36	36·1	6	1	9	9·0
Amritsar.	.	508	257	26·4	30	9	43	..	159	16·3
Batala	.	55	47	44·5	38	3	5	..	51	48·3
Bhiwani	.	51	45	46·0	4	..	3	..	13	13·3
Fazilka	.	37	18	25·4	14	1	4	..	22	31·0
Ferozepore	.	48	40	43·4	2	3	4	..	12	13·0
Hissar	.	32	21	34·2	5	..	2	..	7	11·4
Hoshiarpur.	.	43	26	31·6	6	..	5	..	11	13·3
Jullunder	.	145	115	41·4	11	2	6	..	26	9·3
Karnal	.	48	34	36·9	7	1	1	..	13	14·1
Ludhiana	.	152	134	46·0	14	1	3	..	35	12·0
Moga	.	37	35	49·4	17	23	32·4
Panipat	.	42	30	37·3	11	2	14	17·4
Rewari	.	35	37	55·1	2	..	2	..	11	16·4
Rohtak	.	60	77	66·9	11	13	11·3
	TOTAL	1,345	952	33·8	178	23	78	..	419	16·2
Uttar Pradesh													
Agra	.	355	449	65·9	1	3	98	1	142	20·8
Allahabad	.	325	285	45·7	3	2	30	..	70	11·2
Amroha	.	66	27	21·3	1	..	3	..	10	7·9
Bahraich†													
Balrampur	.	51	13	13·4	8	..	14	1	12	12·3
Banaras	.	308	403	68·3	73	13	14	1	194	32·9
Bareilly	.	235	132	29·3	14	5	10	1	46	10·2
Budaun	.	58	35	31·3	7	..	3	..	16	14·3
Dehra Dun	.	104	63	31·7	2	2	5	..	21	10·6
Etawah	.	58	67	59·3	11	5	5	..	38	33·7
Faizabad-Ajodhya	.	58	32	28·6	2	..	2	1	12	10·7
Farrukhabad-Fatehgarh	.	64	63	51·1	10	1	22	17·8
Ferozabad	.	55	58	54·2	..	1	..	8	1	1	..	14	13·2
Ghazipur	.	35	40	59·8	7	1	2	..	11	16·4
Gorakhpur	.	121	86	37·0	6	2	4	..	25	10·7
Hapur	.	47	38	42·4	5	..	2	..	8	8·9
Hardwar Union	.	71	45	33·0	6	5	5	..	27	19·8
Hathras	.	57	75	69·2	12	9	6	1	33	30·4
Jaunpur	.	52	40	40·4	4	..	2	..	11	11·1
Jhansi	.	90	103	59·4	34	3	8	..	55	31·7
Kanpur	.	702	379	28·2	118	33	39	6	326	24·2
Khurja	.	41	19	23·9	2	1	4	..	12	15·1
Koi-Aligarh	.	143	80	29·2	11	8	9	..	35	12·8
Lucknow	.	487	404	43·2	36	14	21	1	163	17·4
Mathura	.	101	98	50·8	16	5	9	..	38	19·7
Meerut	.	160	168	54·7	5	8	20	1	43	14·0
Mirzapur-Vindhya Chal	.	81	82	53·0	13	..	4	..	25	16·2
Moradabad	.	186	165	46·3	6	6	14	..	45	12·6
Muzaffernagar	.	65	48	38·3	8	..	1	..	16	12·8
Filibhit†	.	53	28	27·5	8	..	1	..	20	19·7
Rampur	.	103	26	13·1	2	1	4	..	15	7·6
Saharanpur	.	168	160	49·6	45	1	1	..	54	16·7
Sambhal	.	63	45	37·0	5	..	7	..	16	13·2
Shahjahanpur	.	132	39	15·4	5	1	1	..	11	4·3
Sitapur	.	37	19	26·6	..	2	..	9	1	1	..	14	19·6
	TOTAL	4,734	3,814	41·9	..	3	..	503	130	336	14	1,600	17·6
													459

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B = Births ; B.R. = Birth rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D. D. = Dysentery and Diarrhoea ; R. D. = Respiratory diseases ; M. D. = Maternal Deaths ; D. R. = Death rate ; I. D. = Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th November, 1950—*contd.*

Deaths from—

Town	Mid-1950 Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal													
Jammu and Kashmir													
Madhya Bharat													
Mysore State													
Bangalore City	500	472	49·0	1	11	22	41	3	213	22·1	..
Kolar Gold Fields	170	157	63·8	1	4	2	3	..	40	16·2	..
Mysore City	191	122	33·2	13	11	85	23·1	..
TOTAL	870	751	44·0	2	28	86	44	3	338	20·2	..
PREPSU													
Malerkotla	86	44	63·6	4	4	5·8	1
Patiala	84	65	40·2	16	2	5	1	33	20·4	8
TOTAL	120	109	47·2	20	2	5	1	37	16·3	9
Rajasthan													
Alwar	60	18	15·7	2	..	6	5·2	..
Bikaner	106	107	33·5	2	1	7	..	17	5·3	2
Jaipur	201	99	25·6	49	2	8	1	132	34·1	44
Jodhpur	157	84	27·8	11	2	4	1	30	9·9	..
Udaipur	72	2	1·4	2	1	10	7·2	1
TOTAL	656	310	24·6	64	5	21	3	195	15·5	47
Gaurashtra													
Bhavnagar	128	60	24·4	8	..	1	..	15	6·1	1
Dhoraji	45	30	45·1	10	..	3	..	20	23·1	..
Jamnagar†													
Jetpur	33	20	31·5	2	2	8·2	1
Junagadh	75	37	26·7	10	1	16	11·1	6
Morvi	54	21	20·2	11	..	1	..	12	11·6	3
Porbandar	63	64	52·8	10	..	1	..	17	14·0	0
Ranott†													
TOTAL	398	241	31·5	51	1	6	..	82	10·7	17
Travancore-Cochin													
Alleppey	68	101	77·2	2	1	1	..	10	7·7	1
Ernakulam	56	18	16·7	3	11	10·2	3
Kottayam	41	41	52·0	3	1	..	1	17	21·6	..
Mattanchery	66	27	21·3	1	..	3	1	20	15·8	2
Nagercoil	60	30	26·0	5	..	2	..	16	13·9	3
Quilon	64	103	83·7	1	1	6	..	18	14·6	2
Trichur	69	26	19·6	3	1	2	..	18	9·8	5
Trivandrum	159	154	52·0	6	2	6	..	36	12·2	5
TOTAL	583	500	44·6	24	6	20	2	141	12·6	21

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal deaths ; D.R.—Death rate ; I.D.—Infantile Deaths (Included in total deaths.)

Rirths and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th November, 1950—contd.

Deaths from :—

Town	Mid-1950 Popn.-Est. (000)	Deaths from :—												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
ARREAR RETURNS														
<i>For w/e the 18th November, 1950</i>														
Adoni	—	35	36	53·5	1	...	9	...	14	20·8	...
Ambur	—	39	28	37·3	2	1	10	13·3	3
Anakapalle	—	35	23	34·2	5	4	3	...	20	29·7	4
Aruppukottai	—	36	55	79·4	5	6	26	37·6	7
Bellary	—	64	50	40·6	3	2	2	8	...	27	21·1	5
Cannanore	—	35	28	41·6	7	1	1	...	14	20·2	...
Chirala†														
Chittoor	—	33	18	28·4	...	1	...	2	1	16	25·2	3
Coimbatore	—	163	181	57·7	1	2	15	17	2	99	31·6	26
Cuddalore	—	62	76	69·7	2	1	...	1	2	4	...	28	23·5	5
Cuddappah	—	34	37	56·6	1	2	2	...	14	21·4	2
Dindigul	—	68	68	52·0	1	1	3	10	...	45	34·4	12
Elturu	—	72	44	31·8	...	1	...	4	...	5	...	34	24·6	3
Erode	—	45	47	54·3	1	1	...	6	2	29	33·5	4
Guddiyattam	—	40	37	18·1	7	...	19	24·7	6
Guntur†														
Kakinada	—	84	62	38·3	2	1	2	...	27	16·7	4
Kancheepuram	—	83	60	37·6	4	3	10	...	36	22·6	9
Kozhikode	—	152	142	48·6	6	...	9	5	58	19·8	16
Karaikudi	—	36	38	54·9	1	6	1	4	...	20	28·0	2
Karur	—	36	36	53·5	1	1	3	3	...	28	41·6	5
Kumbakonam	—	71	62	45·4	6	1	...	2	1	13	1	56	41·0	7
Kurnool	—	55	79	74·7	2	2	5	1	24	22·7	12
Madras	—	1,013	1,210	62·5	5	6	...	75	60	212	3	794	40·7	173
Mangalore	—	94	80	49·2	...	2	...	2	3	8	...	42	23·2	7
Marulipatnam	—	61	49	41·8	1	...	2	...	17	14·5	3
Mathurai	—	292	368	65·5	22	4	...	31	18	76	4	268	47·7	64
Mayuram	—	33	17	26·8	1	15	23·6	3
Melapalayam	—	32	24	39·0	9	4	5	...	46	74·8	10
Nagapatinam	—	57	43	39·2	3	1	...	2	...	22	20·1	4
Nellore	—	66	75	59·1	3	1	3	3	20	22·9	7
Ooty	—	95	25	37·1	1	...	3	1	11	16·3	1
Palam Cottah	—	84	27	41·3	4	5	...	21	32·1	7
Palghat	—	61	39	33·2	4	1	...	5	...	38	32·4	5
Proddatur	—	33	26	41·0	1	...	2	...	15	23·6	4
Pudukkottai	—	39	30	52·0	3	1	1	2	...	18	24·0	5
Rajahmundry	—	85	64	39·2	2	5	1	45	27·5	11
Rajapalayam	—	53	33	32·4	2	14	10	...	67	65·7	12
Salem	—	165	187	46·0	4	2	...	3	7	16	...	77	25·8	15
Sevillipettur	—	37	28	39·4	3	5	2	...	31	43·6	9
Tanjore	—	70	105	78·0	1	4	4	11	2	78	58·0	13
Tellicherry	—	42	19	25·5	1	...	3	...	14	17·3	2
Tenali	—	46	63	71·2	1	...	6	...	18	20·4	4
Tiruchirappalli	—	175	115	34·2	6	3	7	31	2	151	44·9	22
Tirunelveli	—	64	71	57·4	1	5	9	2	55	44·7	11
Tiruppur.	—	47	46	50·9	1	3	1	2	...	27	29·9	4
Tiruvannamalai	—	89	21	28·0	1	5	2	5	1	22	29·8	5
Tuticorin	—	90	92	53·2	5	8	20	1	83	48·0	28
Vaniyambadi	—	39	14	18·7	1	1	5	...	17	22·7	1
Vellore	—	85	106	64·9	2	2	11	...	49	30·0	16
Vijayavada	—	110	79	37·3	10	1	5	...	37	17·5	8
Virudhunagar	—	38	53	76·6	5	3	4	1	24	34·7	8
Vizagapatnam	—	82	52	83·0	5	3	3	...	27	17·1	7
Vizianagram	—	58	39	35·0	2	2	2	...	25	22·4	6
TOTAL		4,440	4,384	51·3	66	18	3	234	205	594	35	2,827	33·1	609

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B. R. = Birth rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D. D. = Dysentery and Diarrhoea ; R. D. = Respiratory diseases ; M. D. = Maternal Deaths ; D. R. = Death rate ; I. D. = Infantile Deaths ; (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th November, 1950—contd.

Deaths from :—

Town	Mid-1950 Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R. * I.D.	
Madhya Pradesh													
					<i>For w/e the 18th November, 1950</i>								
Akola	76	80	60.5	21	4	3	..	35	23.8	..
Amravati	76	115	78.6	14	3	3	2	41	28.0	10
Bilaspur	43	34	41.0	4	16	10.3	6
Burhanpur	63	49	40.3	17	4	34	27.0	..
Chander	43	37	44.9	8	1	23	27.0	..
Damodar	38	28	44.8	18	..	5	..	23	36.8	..
Eliorpur	84	26	42.6	2	3	17	25.0	6
Hinganghat	83	84	53.4	..	3	..	3	1	12	18.8	3
Jabalpur	178	105	31.2	13	2	7	1	45	13.4	9
Khandwa	42	38	46.9	5	2	16	22.2	..
Nagpur†													
Nagpur Civil Station†													
Raipur	80	22	14.2	4	1	12	7.0	..
Sagar	62	22	18.4	11	..	6	..	19	15.0	..
Wardha	37	40	56.0	3	2	1	..	9	12.8	4
Yeotmal	32	16	26.2	6	14	22.0	6
TOTAL	829	655	41.1	..	3	..	124	23	25	3	318	19.9	44
West Bengal													
					<i>For w/e the 18th November, 1950</i>								
Asansol†													
Bally	69	19	9.3	1	..	1	0.8	..
Barduria†													
Baranagar	71	55	40.0	6	4	4	..	26	19.2	3
Berhampur	56	42	40.0	8	1	2	..	17	16.2	4
Bhatpara	147	80	17.7	10	2	1	1	42	14.9	15
Budge-Budge	40	14	18.2	2	1	3	..	8	16.4	..
Burdwan	86	9	5.5	..	1	..	1	4	3	1	14	8.6	2
Calcutta	2,991	1,480	25.8	10	47	..	95	92	173	9	812	14.2	..
Champdai†													
Garden Reach	113	14	6.5	6	2	3	..	17	7.0	2
Roughly Chinsura	64	68	55.0	..	1	..	4	2	6	..	16	12.0	..
Howrah	623	170	16.9	8	10	..	18	10	43	..	184	18.3	38
Kamarhati†													
Krishnanagar	89	1	1.3	..	1	2	2.7	..
Mildnapur	54	13	12.7	5	3	2	1	20	19.5	1
Nababipore	42	38	47.7	..	1	..	6	1	3	..	14	17.6	2
Naihati	53	12	11.0	..	1	..	5	2	4	1	16	14.8	2
Serampur	71	29	21.4	1	3	5	3	..	18	13.3	7
South Suburban†													
Titagarh†													
Tollygunj	90	7	4.0	1	2	1.2	..
TOTAL	4,807	2,015	23.2	14	62	..	169	199	251	13	1,208	13.9	76

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B = Births ; B.R. = Birth rate ; C = Cholera ; S = Smallpox ; P = Plague ; F = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory diseases ; M.D. = Maternal deaths ; D.R. = Death rate ; I.D. = Infantile deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th November, 1950—contd.

Deaths from :—

Town	Mid-1950 Popn.—Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Bombay														
<i>For w/e the 18th November, 1950</i>														
Ahmedabad	854	965	58.7	221	11	54	8	502	30.6	140	
Ahmednagar	46	59	46.4	2	7	..	20	15.7	7	
Amalner	45	22	25.4	4	..	2	..	11	12.7	..	
Bandra	100	76	39.5	3	10	..	40	20.8	18	
Beroda City	188	245	67.7	50	5	10	..	90	24.8	10	
Bara	42	46	58.9	8	1	2	1	24	27.7	6	
Belgaum	77	39	26.3	1	1	1	1	18	12.7	3	
Bhusewal	44	28	33.0	5	..	1	..	15	17.7	..	
Bijapur	68	41	36.7	..	1	..	9	2	1	..	22	19.7	2	
Bombay	1,796	1,462	42.3	..	1	..	10	16	144	2	625	18.1	177	
Broach	76	66	45.1	10	..	4	..	32	21.8	11	
Cambay	38	41	36.1	13	..	1	1	19	26.0	18	
Dharwar	55	40	37.8	3	..	2	2	23	21.7	1	
Dhulip	66	64	50.4	9	..	5	1	23	18.1	5	
Gadag Betgeri	66	38	29.9	14	..	4	1	26	20.4	4	
Godhra	48	43	46.5	4	..	1	..	13	14.0	2	
HUBLI	107	65	31.6	5	2	7	1	32	15.5	3	
Jalgaon	62	62	52.0	3	..	3	2	23	19.2	3	
Kalyan †	115	131	59.2	1	10	1	5	1	57	25.7	8	
Kolhapur	47	93	102.8	7	1	6	..	18	19.0	4	
Kurla	
Malegaon	41	54	68.8	6	1	6	..	17	21.6	6	
Miraj	38	24	32.8	1	1	..	11	15.0	1	
Nadiad	58	75	67.2	23	3	29	..	102	22.6	22	
Nasik	69	66	58.3	5	3	8	..	42	27.0	8	
Navsari	46	55	62.1	8	..	1	7	27	30.5	9	
Pandharpur	37	48	67.4	18	4	5	..	31	43.5	11	
Parle Andheri	58	31	27.7	1	..	1	..	7	6.2	..	
Patan	43	58	70.1	25	2	3	..	41	48.8	9	
Poona	318	305	67.2	1	3	24	1	138	22.9	52	
Rangli	39	26	32.0	5	1	1	1	18	17.3	3	
Satara	40	38	60.6	2	19	30.3	7	
Sholapur	287	262	51.0	22	18	66	4	188	36.6	64	
Surat	102	22.6	22	
TOTAL	6,228	4,882	48.6	1	2	..	518	83	447	29	2,371	23.6	696	
Bombay for w/e														
Patan	26-8-50	43	71	85.7	12	2	1	..	44	53.2	5
Kurla	28-10-50	47	61	67.4	1	2	1	..	12	13.2	3
Bombay	4-11-50	38	21	29.4	6	6	8.2	2
"	11-11-50	..	24	32.8	4	..	1	..	7	9.6	..
Madhya Pradesh														
Indore	14-10-50	92	25	20.9	9	..	3	..	17	14.2	..
"	21-10-50	..	19	15.9	11	..	2	..	16	13.4	..
"	28-10-50	..	21	17.6	13	..	4	..	22	16.4	..
"	4-11-50	..	22	18.4	12	..	3	..	17	14.2	..
"	11-11-50	..	21	17.6	11	..	5	..	19	15.0	..
Damoh	14-10-50	32	24	38.4	18	..	2	..	16	25.6	..
"	21-10-50	..	21	33.6	11	..	3	..	14	22.4	..
"	28-10-50	..	18	28.8	10	..	3	..	15	24.0	..
"	4-11-50	..	22	35.2	11	..	4	..	18	28.8	..
"	11-11-50	..	27	43.8	12	..	3	..	17	27.2	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B. R.—Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D. D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Maternal Deaths ; D. R.—Death rate ; I. D.—Infantile Death (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 25th November, 1950, relate to 113 towns with an estimated population of 15,157 thousands. The total number of towns is 233 and their population is 28,421 thousands. Thus 48% of the total number of towns representing 53% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 12,640 and 5,226 representing birth and death rates of 43·4 and 17·9 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 89 towns with an estimated population of 12,530 thousands. Information about Assam, Bihar, Madhya Pradesh, Madras and West Bengal could not be included. The total number of towns is 201 and their population is 24,868 thousands. Thus 44% of the total number of towns representing 51% of the total population is covered. The numbers of births

and deaths were 10,729 and 4,438 representing birth and death rates of 44·5 and 18·4 per thousand of population respectively. The table at the end gives the position by states.

No town recorded a high death rate of 50 or over per thousand of population.

(B) States (Part B).—The data here relate to 24 towns with an estimated population is 2,627 thousands. The total number of towns is 32 and their population is 3,753 thousands. Thus 75% of the total number of towns representing 70% of the total population is covered. The numbers of births and deaths were 1,911 and 793 representing birth and death rates of 37·8 and 15·7 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

State	Current w/e 25/11/50		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer .	48·9	15·3	33·8	14·3	44·0	21·3
Bombay .	47·6	20·8	41·7	22·6	40·2	22·6
Delhi .	54·6	11·1	59·5	15·2	50·6	14·1
Orissa .	44·9	29·8	49·9	29·3	41·6	27·0
Punjab (I) .	36·8	16·2	32·3	12·4	37·0	14·9
Uttar Pradesh .	41·9	16·0	44·1	22·7	44·4	26·6
India (only States A & C)	44·5	18·4	40·9	21·7	38·9	21·5

NEW DELHI 3 (INDIA): }
The 18th December, 1950. }

S. P. JAIN,
for Registrar General, India.

